



County of Riverside DEPARTMENT OF ENVIRONMENTAL HEALTH

www.rivcoeh.org

QUAIL VALLEY PERCOLATION TESTING AND OWTS SUBMITTAL

Regional Water Quality Control Board (RWQCB) is currently allowing new onsite wastewater treatment systems (OWTS) to be installed in areas of Quail Valley other than sub-areas 4 and 9 that meet certain criteria.

For a property in Quail Valley (excluding sub-areas 4 and 9) to be considered for a new OWTS, the Department of Environmental Health (DEH) shall require the following:

- All soils percolation testing shall be performed by a registered Professional of Record (PR) in the presence of DEH staff.
- When performing the test, the PR shall comply with the DEH Local Area Management Program (LAMP), Additional Testing Procedures for Quail Valley, and other requirements per RWQCB.
- All tests must be completed Monday thru Friday during normal business hours.
- Submit a completed land use application and applicable fee based on current hourly rate.
 - <https://www.rivcoeh.org/Portals/0/PDF/Land-Use/Land-Use-Application.pdf>
- Contact DEH at (951) 955-8980 to schedule a percolation test field audit. Field audits shall be subject to DEH staff's availability. Be sure to include the PR registration number.
- A percolation test confirmation number will be issued by DEH and shall only apply for the scheduled test date. A re-scheduled test shall be issued a new confirmation number.

When submitting an OWTS application to DEH, the following shall be required:

- Building permit transmittal/documentation from the City of Menifee (951) 672-6777
- OWTS report
 - Percolation data and soil boring profile
 - Grading plan/site plan with OWTS design
- Floor plan of house/building
- Payment of fees for OWTS submittal

Note: Additional information may be required at time of official submittal.




QUAIL VALLEY

SEPTIC TANK PROHIBITION AREA

CITY OF
PERRIS

CITY OF
CANYON
LAKE

CITY OF
MENIFEE

-  Prohibition Area
-  City Boundary
-  Waterbodies



March 03, 2020